



COVID-19 VACCINATION HOAX

Compiled by Tyler Yzaguirre with Epoch Times Articles
August 2022 - September 13, 2022
www.TylerYz.com

Are the COVID mRNA Vaccines Safe?

So, what were the results? There were 139 AESIs among the 33,986 people vaccinated, one for every 244 people. That may sound bad, but those numbers mean nothing without comparison against a control group. There were 97 AESIs among the 33,951 people who received a placebo. Combining these numbers implies 12.5 vaccine-induced AESIs for every 10,000 people vaccinated, with a 95 percent confidence interval of 2.1 to 22.9 per 10,000 people. To phrase it differently, there is one additional AESI for every 800 people vaccinated (95 percent CI: 437-4762).

That is very high for a vaccine. No other vaccine on the market comes close.

COVID Vaccines Increase Menstrual Irregularities Thousandfold, Fetal Abnormalities Hundredfold: Doctors' VAERS Analysis

By [Enrico Trigo](#) | July 1, 2022 Updated: August 3, 2022

A A  Print

Compared to influenza vaccines, COVID-19 shots posed the following risks:

- Abnormal uterine bleeding (menstrual irregularity), 1,000 times greater than for influenza vaccines
- Miscarriages, 50 times greater
- Fetal chromosomal abnormalities, 100 times greater
- Fetal malformation, 50 times greater
- Fetal cystic hygroma (a major malformation), 90 times greater
- Fetal cardiac disorders, 40 times greater
- Fetal arrhythmia, 50 times greater
- Fetal cardiac arrest, 200 times greater
- Fetal vascular malperfusion, 100 times greater
- Fetal growth abnormalities, 40 times greater
- Fetal abnormal surveillance tests, 20 times greater
- Fetal placental thrombosis, 70 times greater

COVID Vaccines Significantly Increase Risk of Myocarditis After Second Dose, Especially in Young Males: Study

By [Enrico Trigoso](#) | July 8, 2022 Updated: July 9, 2022

  Print

The study found 97.3 cases of myocarditis per million doses of BNT162b2 (Pfizer) for 12–17-year-old males and 299.5 per million doses of mRNA-1273 (Moderna) for 18–24-year-old males.

The population-based cohort study was published on June 24 and conducted from December 2020 to September 2021 and used data from Ontario's COVID-19 vaccine registry and passive vaccine-safety surveillance system.

Why Three COVID Jabs Are Worse Than Two

BY [JOSEPH MERCOLA](#) TIME [JUNE 30, 2022](#) PRINT 

Three Doses Makes You More Infection-Prone Than Two

Overall, data from the Centers for Disease Control and Prevention's new COVID dashboard² show boosted Americans are catching COVID at nearly twice the rate of the unboosted – a statistic John Moore, professor of microbiology and immunology at Weill Cornell Medical College, attributes to the boosted feeling “more protected than they actually are,” and therefore taking fewer precautions.³

COVID-19 Vaccines Hinder the Immune System, Lead to More Severe Illness: Dr. Robert Malone

By [Ella Kietlinska](#) and [Joshua Philipp](#) | August 2, 2022 Updated: August 2, 2022   Print

A study out of the United Kingdom has shown that health care workers who received multiple COVID-19 vaccine boosters after initially being infected with the original virus strain from Wuhan are more prone to chronic reinfection from the [Omicron](#) variant.

Malone, president and co-founder of the International Alliance of Physicians and Medical Scientists, said over 17,000 doctors and scientists have signed a declaration [stating unequivocally](#) that genetic vaccines need to be withdrawn.

COVID-19 Vaccines Didn't Work, so CDC Changed the Definition of Vaccines

BY JENNIFER MARGULIS AND JOE WANG TIME SEPTEMBER 1, 2022 PRINT 

For nearly 15 years, from November 2007 to August 2021, the Centers for Disease Control and Prevention (CDC)'s working definition of a vaccine was, "A product that stimulates a person's immune system to produce immunity to a specific disease, protecting the person from the disease. **Vaccines** are usually administered through needle injections, but can also be administered by mouth or sprayed into the nose."

The new definition, which the curious reader can find under the title, "Vaccine Basics," at the CDC **BAM!** website, a classroom resource for teachers, became: "A preparation that is used to stimulate the body's immune response against diseases. Vaccines are usually administered through needle injections, but some can be administered by mouth or sprayed into the nose."

COVID Jabs Impact Both Male and Female Fertility

BY JOSEPH MERCOLA TIME JULY 25, 2022 PRINT 

- According to one recent investigation, 42% of women with regular menstrual cycles said they bled more heavily than usual after vaccination; 39% of those on gender-affirming hormone treatments reported breakthrough bleeding, as did 71% of women on long-acting contraceptives and 66% of postmenopausal women

COVID-19 Vaccine Compensation Payment Given to Family of Japanese Woman Who Died

By [Jack Phillips](#) | August 1, 2022 Updated: August 1, 2022

A A  Print

COVID Vaccine Injuries Quietly Being Compensated Around the World, Are You Eligible?

BY JENNIFER MARGULIS AND JOE WANG TIME JULY 30, 2022 PRINT 

Endless Boosting? Latest 2 Concerns About COVID Jabs

If we start children off with the shots at 6 months of age, how many more would they receive?

BY XIAOXU SEAN LIN AND HEALTH I+I

TIME JULY 22, 2022

PRINT 

Frequent vaccination may have a negative impact on immunity: the body's immune system will suffer from immune fatigue. Just like "crying wolf," the immune system that has been repeatedly stimulated by the vaccines will not be able to perform at full strength in the face of a real virus attack. On the other hand, the risk of side effects may be greater with one or two booster shots.

Over 1,000 Reports of Adverse Events After COVID-19 Vaccination in Toddlers, Babies

By [Zachary Stieber](#)

September 2, 2022 Updated: September 3, 2022

   Print

Over 1,000 reports of adverse events have been lodged with U.S. authorities following COVID-19 vaccination in children aged 5 and younger.

As of Aug. 21, 998 non-serious reports have been entered into the Vaccine Adverse Event Reporting System (VAERS) for children 4 or younger who received a Pfizer vaccine and children 5 or younger who received a Moderna vaccine, Dr. Tom Shimabukuro said on Sept. 1.

Details Omitted

The serious events were not detailed.

"Those details should not have been left out of the information released to ACIP and the public," Barbara Loe Fisher, co-founder and president of the National Vaccine Information Center, told The Epoch Times in an email.



Peer-Reviewed: 94 Percent of Vaccinated Patients With Subsequent Health Issues Have Abnormal Blood, Italian Microscopy Finds

BY [JENNIFER MARGULIS AND JOE WANG](#) TIME [SEPTEMBER 2, 2022](#) PRINT 

Physicians in Italy studied the **blood** of patients who had been injected with mRNA COVID-19 vaccines and found foreign matter long after vaccination, a **new study** shows.

Of the 1,006 patients, after vaccination, only about 5 percent—just 58 people—had blood that looked normal.




Vaccinated at Higher Risk of Serious Adverse Events: Reanalysis of Original Trial Data

By [Zachary Stieber](#) | September 2, 2022 Updated: September 5, 2022    Print

Pfizer trial participants who received a vaccine were 36 percent more at risk of a serious adverse event, while Moderna trial participants who received a vaccine were six percent more at risk, according to the analysis, which was published after peer review [in the journal Vaccine](#) on Aug. 31.

Severe adverse events were defined as events that resulted in serious conditions such as death, inpatient hospitalization, and persistent disability.

Pfizer Has Stopped Its COVID Vaccine Clinical Trial in Pregnant Women: Internal Email

By [Noé Chartier](#) | September 1, 2022 Updated: September 1, 2022    Print

“The study enrolment was stopped with incomplete numbers because recruitment was slow and it became unreasonable/inappropriate to randomise pregnant women to placebo given the amount of observational evidence that the vaccine is safe and effective, coupled with increasing number of technical committees supporting immunization of pregnant women,” said Vojicic in an April 4 email.

Vojicic also provided the name and link to the [DART study](#). The paper was published in August 2021 in the journal *Reproductive Toxicology*. It was titled, “Lack of effects on female fertility and prenatal and postnatal offspring development in rats with BNT162b2, a mRNA-based COVID-19 vaccine.”

Hospital Study Shows This Can Prevent COVID-19 Infection

BY JOSEPH MERCOLA TIME SEPTEMBER 3, 2022 PRINT 

In August 2022, a study[9][10] of over 4,000 patients and 89 health care staff in a hospital in Ghana revealed the results of those who used hydrogen peroxide (H₂O₂) mouthwash, gargle and nasal rinse daily as a preventive against COVID-19.[11]



None of the greater than 4,000 patients who were treated with H₂O₂ got COVID-19. In another hospital, 424 staff members were fully vaccinated; 34 of those used hydrogen peroxide and none developed COVID-19. Of the remaining 390 health care staff, 53 developed COVID-19.

COVID-19 Vaccine Effectiveness Plunges Against Omicron: CDC Data

By [Zachary Stieber](#) | September 1, 2022 Updated: September 1, 2022   Print

COVID-19 vaccine effectiveness for all age groups has been much worse against the Omicron virus variants than earlier strains, particularly the currently dominant subvariants, according to U.S. Centers for Disease Control and Prevention (CDC) data [presented on Sept. 1](#).

FDA Authorizes Updated COVID-19 Boosters Despite Lack of Clinical Data

By [Zachary Stieber](#) | August 31, 2022 Updated: September 1, 2022   Print

U.S. drug regulators on Aug. 31 authorized updated COVID-19 vaccine booster shots despite no clinical trial data being available for the modified formulations.

Much of the data underpinning the requests for authorization [were for a different formulation](#), a combined Wuhan-BA.1 formulation. BA.1 is another subvariant of the Omicron variant. BA.1 hasn't been dominant in the United States for months.

A phase 2/phase 3 study for Moderna's Wuhan-BA.1 bivalent vaccine showed that it triggered a stronger antibody response than the booster based solely on the original strain, the company has said. It also appeared to offer protection against the BA.4 and BA. 5 subvariants. Full results of the study have not been released.

Why Your Natural Immunity Against COVID Is so Durable and How to Boost It

BY DR. YUHONG DONG AND HEALTH I+I

TIME SEPTEMBER 3, 2022

PRINT 

It's true that people who have been previously infected with COVID are more resilient against it.

When your body is infected with any virus, it means that **our innate immunity** is not strong enough to stop the virus at the front line of physical barrier or epithelium layers. As a result, the adaptive immunity will be activated.

In respect to antiviral adaptive immunity, there are two main pathways that can be triggered, the Th1 or Th2 pathway.

Regardless of what type of virus we may confront, a leading Th1 cellular immune response and its downstream cytotoxic T cell antiviral function play a critical role in eradicating the virus from our body. The Th2 pathway with activated B lymphocyte responses takes a secondary or complementary role in the whole antiviral battle.

Prior infection provides a 78.9 percent protection against moderate to severe reinfection

Prior infection guarantees a 68.1 percent protection against a symptomatic reinfection

Prior infection offers a 63.9 percent protection against any types of second COVID-19

‘Unethical’ and up to 98 Times Worse Than the Disease: Top Scientists Publish Paradigm-Shifting Study About COVID-19 Vaccines

BY JENNIFER MARGULIS AND JOE WANG

TIME SEPTEMBER 10, 2022

PRINT 

A team of nine experts from Harvard, Johns Hopkins, and other top universities has published **paradigm-shifting research** about the efficacy and safety of the COVID-19 vaccines and why mandating vaccines for college students is unethical.

This 50-page study, which was published on The Social Science Research Network at the end of August, analyzed CDC and industry-sponsored data on vaccine adverse events, and concluded that **mandates** for COVID-19 **boosters** for young people may cause 18 to 98 actual serious adverse events for each COVID-19 infection-related hospitalization theoretically prevented.

The paper is co-authored by **Dr. Stefan Baral**, an epidemiology professor at Johns Hopkins University; surgeon **Martin Adel Makary, M.D.**, a professor at Johns Hopkins known for his books exposing medical malfeasance, including “Unaccountable: What Hospitals Won’t Tell You and How Transparency Can Revolutionize Health Care”; and **Dr. Vinay Prasad**, a hematologist-oncologist, who is a professor in the UCSF Department of Epidemiology and Biostatistics, as well as the author of over 350 academic and **peer-reviewed articles**.

5 Ethical Arguments Against Mandated Boosters

Though rarely reported on in the mainstream media, COVID-19 vaccine boosters have been generating a lot of controversy.

1) **Lack of policymaking transparency.** The scientists pointed out that no formal and scientifically rigorous risk-benefit analysis of whether boosters are helpful in preventing severe infections and hospitalizations exists for young adults.

2) **Expected harm.** A look at the currently available data shows that mandates will result in what the authors call a “net expected harm” to young people. This expected harm will exceed the potential benefit from the boosters.

3) **Lack of efficacy.** The vaccines have not effectively prevented transmission of COVID-19. Given how poorly they work—the authors call this “modest and transient effectiveness”—the expected harms caused by the boosters likely outweigh any benefits to public health.

4) **No recourse for vaccine-injured young adults.** Forcing vaccination as a prerequisite to attend college is especially problematic because young people injured by these vaccines will likely not be able to receive compensation for these injuries.

5) **Harm to society.** Mandates, the authors insisted, ostracize **unvaccinated young adults**, excluding them from education and university employment opportunities. Coerced vaccination entails “major infringements to free choice of occupation and freedom of association,” the scientists wrote, especially when “mandates are not supported by compelling public health justification.”

The consequences of non-compliance include being unenrolled, losing internet privileges, losing access to the gym and other athletic facilities, and being kicked out of campus housing, among other things. These punitive approaches, according to the authors, have resulted in unnecessary psychosocial stress, reputation damage, loss of income, and fear of being deported, to name just a few.

@RealTylerYz



ARTICLE HEADLINES COURTESY OF EPOCH TIMES

Published by Tyler Yzaguirre
September 13, 2022
www.TylerYz.com